ີດີດີດີດີ Sixty-sixth			STATE OF ID		Session	ດີດີດີດີ - 2022
		BILL NO				
	ВУ					
		ANI AC	т			
CODE, TO AMENDING SCHEDULE CODE, TO STANCES;	JNIFORM CONTROLI REVISE PROVISIO SECTION 37-270 E II CONTROLLED O REVISE PROVISE AND AMENDING SE	ONS REGARDIN 07, IDAHO CO SUBSTANCES SIONS REGAF CCTION 37-27	ES; AMENDING IG SCHEDULE I DDE, TO REVIS ; AMENDING S RDING SCHEDU 13, IDAHO COL	CONTROLSE PROVISECTION LE IV C	LED SUBST SIONS REG 37-2711, ONTROLLE	TANCES; GARDING IDAHO D SUB-
Be It Enacted	l by the Legislat	ure of the S	tate of Idaho	:		
	1. That Section ead as follows:	37-2705, Id	laho Code, be	, and the	e same is	hereby
37-2705.	. SCHEDULE I. (a	a) The contr	olled substa	nces lis	ted in th	is sec-
	uded in schedule					
	of the following					
	s, and salts of i					
_	enever the exist within the specif				ethers and	a saits
	tyl-alpha-methy:				enethvl)-	-4-pip-
	l]-N-phenylaceta		[1 (10011	<i>j</i> = = p110	, ,	- 1-1-
_	tylmethadol;	, ,				
(3) A	Acetyl fentanyl	(N-(1-ph	enethylpiper	idin-4-y	yl)-N-phe	enylac-
etamide)	-					
	cryl fentanyl	(N-(1-phen	ethylpiperid	in-4-yl)	-N-pheny	/lacry-
lamide;						
-	ylprodine; hacetylmethadol	(except le	n-alphacety	lmothado	olalso ki	nown ag
_	ha-acetylmethac	_				nown as
	nameprodine;	201, 10101110		0 01 1111	/ /	
-	namethadol;					
(9) Alph	na-methylfentan	-				
(10)	Alpha-methylth:	_	_	-2-(2-th	nienyl)et	chyl-4-
	lnyl]-N-phenylpi	ropanamide)	;			
	zethidine;					
	<pre>acetylmethadol; a-hydroxyfentar</pre>		2-h17dr03717-2-r	honoth;	·1\-1-nin	orid-
	-phenylpropanam:	_	11yaroxy-2- <u>1</u>	лепеспу	I)-4-PIP	eria-
_	ta-hydroxythiof					
	ta-hydroxy-3-me		l (N-(1-(2-h	ydroxv-2	2-pheneth	nyl)-3-
	l-piperidinyl)-1			<i>_</i>	1	<u> </u>
_	tameprodine;	_ <u> </u>	-			
	tamethadol;					
(18) Bet	ta-methyl fentar	ıyl;				



```
(19) Beta'-phenyl fentanyl;
1
2
         (<del>17</del>20) Betaprodine;
                Brorphine (1-(1-(4-Bromophenyl)ethyl)piperidin-4-yl)-1,3-
3
         dihydro-2H-benzo[D]imidazol-2-one);
4
         (<del>18</del>22) Clonitazene;
5
         (23) Crotonyl fentanyl ((E)-N-(1-phenethylpiperidin-4-yl)-N-phenyl-
6
7
         but-2-enamide);
         (1924) Cyclopentyl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenyl-
8
         cyclopentanecarboxamide);
9
10
         (205) Cyclopropyl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenyl-
         cyclopropanecarboxamide);
11
         (2\pm6) Dextromoramide;
12
         (227) Diampromide;
13
         (238) Diethylthiambutene;
14
15
         (249) Difenoxin;
16
         (2530) Dimenoxadol;
         (2631) Dimepheptanol;
17
         (2732) Dimethylthiambutene;
18
         (2833) Dioxaphetyl butyrate;
19
20
         (2934) Dipipanone;
21
         (305) Ethylmethylthiambutene;
         (316) Etonitazene;
22
         (327) Etoxeridine;
23
         (338) Fentanyl-related substances. "Fentanyl-related substances"
24
         means any substance not otherwise listed and for which no exemption or
25
26
         approval is in effect under section 505 of the federal food, drug, and
         cosmetic act, 21 U.S.C. 355, and that is structurally related to fen-
27
         tanyl by one (1) or more of the following modifications:
28
               i. Replacement of the phenyl portion of the phenethyl group by any
29
               monocycle, whether or not further substituted in or on the monocy-
30
31
               ii. Substitution in or on the phenethyl group with alkyl, alkenyl,
32
33
               alkoxyl, hydroxyl, halo, haloalkyl, amino, or nitro groups;
34
               iii. Substitution in or on the piperidine ring with alkyl,
35
               alkenyl, alkoxyl, ester, ether, hydroxyl, halo, haloalkyl, amino,
36
               or nitro groups;
               iv. Replacement of the aniline ring with any aromatic monocycle,
37
               whether or not further substituted in or on the aromatic monocy-
38
               cle; and/or
39
               v. Replacement of the N-propionyl group by another acyl group;
40
         (39) Fentanyl carabamate;
41
                                                       (N-(4-fluorophenyl)-N-(1-
42
                     4-Fluoroisobutyryl
                                         fentanyl
         phenethylpiperidin-4-yl)isobutyramide);
43
         (41) 2'-fluoro ortho-fluorofentanyl;
44
         (3542) Furanyl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenylfu-
45
         ran-2-carboxamide);
46
         (43<del>6</del>) Furethidine;
47
48
         (3744) Hydroxypethidine;
                                  fentanyl (N-(1-phenethylpiperidin-4-yl)-N-
49
                   Isobutyryl
         phenylisobutyramide);
50
```



```
(N, N-diethyl-2-(2-(4isopropoxybenzyl)-5-ni-
1
         (46)
                   Isotonitazene
2
         tro-1h-benzimidazol-1-yl)ethan-1-amine);
          (3947) Ketobemidone;
3
          (408) Levomoramide;
4
          (419) Levophenacylmorphan;
5
                Methoxyacetyl fentanyl (2-methoxy-N-(1-phenethylpiperidin-4-
6
7
         yl) -N-phenylacetamide;
          (51) 4'-methyl acetyl fentanyl;
8
          (452) 3-Methylfentanyl;
9
10
          (453) 3-methylthiofentanyl (N-[(3-methyl-1-(2-thienyl)ethyl-4-pip-
         eridinyl]-N-phenylpropanamide);
11
          (454) Morpheridine;
12
          (455) MPPP (1-methyl-4-phenyl-4-propionoxypiperidine);
13
          (456) MT-45 (1-cyclohexyl-4- (1,2-diphenylethyl)piperazine);
14
                 N-(4-chlorophenyl)-N-(1-phenethylpiperdin-4-yl) Isobutyramide
15
16
         (para-chloroisobutyrl fentanyl);
          (4758) Noracymethadol;
17
          (4859) Norlevorphanol;
18
          (4960) Normethadone;
19
20
          (5061) Norpipanone;
21
                         Ocfentanil
                                             (N-(2-fluorophenyl)-2-methoxy-N-(1-
         phenethylpiperidin-4-yl) acetamide);
22
         (63) Ortho-fluoroacryl fentanyl;
23
         (64) Ortho-fluorobutyrl fentanyl;
24
         (65) Ortho-fluorofentanyl;
25
         (66) Ortho-fluoroisobutyryl fentanyl;
26
         (67) Ortho-methyl acetylfentanyl;
27
         (68) Ortho-methyl methoxyacetyl fentanyl;
28
                  Para-chloroisobutyryl
                                                        (N-(4-chlorophenyl)-N-(1-
29
          (<del>52</del>69)
                                            fentanyl
         phenethylpiperidin-4-yl) isobutyramide);
30
          (5370)
                    Para-fluorobutyryl
                                           fentanyl
                                                        (N-(4-fluorophenyl)-N-(1-
31
         phenethylpiperidin-4-yl) butyramide);
32
         (5471) Para-fluorofentanyl (N-(4-fluorophenyl)-N-[1-(2-phen-
33
34
         ethyl)-4-piperidinyl] propanamide);
35
         (72) Para-fluoro furanyl fentanyl;
          (5573)
                   Para-methoxybutyryl
                                                       (N-(4-methoxyphenyl)-N-(1-
36
                                           fentanyl
         phenethylpiperidin-4-yl) butyramide);
37
38
         (74) Para-methylfentanyl;
          (756) PEPAP (1-(-2-phenethyl)-4-phenyl-4-acetoxypiperidine);
39
          (576) Phenadoxone;
40
          (5877) Phenampromide;
41
          (5978) Phenomorphan;
42
          (<del>60</del>79) Phenoperidine;
43
         (80) Phenyl fentanyl;
44
          (<del>6</del>81) Piritramide;
45
          (<del>6</del>82) Proheptazine;
46
          (<del>6</del>83) Properidine;
47
48
          (684) Propiram;
          (<del>6</del>85) Racemoramide;
49
```

48

49

50



```
(686) Tetrahydrofuranyl fentanyl (N-(1-phenethylpiperidine-4-yl)-N-
1
2
         phenyltetrahydrofuran-2-carboxamide);
         (687) Thiofentanyl (N-phenyl-N-[1-(2-thienyl)ethyl-4-piperidinyl]-
3
         propanamide);
4
         (<del>6</del>88) Tilidine;
5
         (<del>6</del>89) Trimeperidine;
6
7
                  u-47700
                              (3,4-Dichloro-N-[2-(dimethylamino)cyclohexyl]-N-
         methylbenzamide);
8
         (791) Valeryl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenylpen-
9
10
         tanamide).
         (c) Any of the following opium derivatives, their salts, isomers and
11
     salts of isomers, unless specifically excepted, whenever the existence of
12
     these salts, isomers and salts of isomers is possible within the specific
13
     chemical designation:
14
          (1) Acetorphine;
15
16
          (2) Acetyldihydrocodeine;
          (3) Benzylmorphine;
17
          (4) Codeine methylbromide;
18
          (5) Codeine-N-Oxide;
19
20
          (6) Cyprenorphine;
21
          (7) Desomorphine;
          (8) Dihydromorphine;
22
          (9) Drotebanol;
23
          (10) Etorphine (except hydrochloride salt);
24
          (11) Heroin;
25
26
          (12) Hydromorphinol;
          (13) Methyldesorphine;
27
          (14) Methyldihydromorphine;
28
          (15) Morphine methylbromide;
29
          (16) Morphine methylsulfonate;
30
          (17) Morphine-N-Oxide;
31
          (18) Myrophine;
32
          (19) Nicocodeine;
33
34
          (20) Nicomorphine;
35
          (21) Normorphine;
          (22) Pholcodine;
36
          (23) Thebacon.
37
             Hallucinogenic substances.
                                             Any material, compound, mixture or
38
39
    preparation which that contains any quantity of the following hallucino-
     genic substances, their salts, isomers and salts of isomers, unless specifi-
40
     cally excepted, whenever the existence of these salts, isomers, and salts of
41
     isomers is possible within the specific chemical designation (for purposes
42
     of this paragraph only, the term "isomer" includes the optical, position and
43
     geometric isomers):
44
45
```

(1) Dimethoxyphenethylamine, or any compound not specifically excepted or listed in another schedule that can be formed from dimethoxyphenethylamine by replacement of one (1) or more hydrogen atoms with another atom(s), functional group(s) or substructure(s) including, but not limited to, compounds such as DOB, DOC, 2C-B, 25B-NBOMe;

(2) Methoxyamphetamine or any compound not specifically excepted or 1 2 listed in another schedule that can be formed from methoxyamphetamine by replacement of one (1) or more hydrogen atoms with another atom(s), 3 functional group(s) or substructure(s) including, but not limited to, 4 compounds such as PMA and DOM; 5 (3) 5-methoxy-3,4-methylenedioxy-amphetamine; 6 (4) 5-methoxy-N, N-diisopropyltryptamine; 7 (5) Amphetamine or methamphetamine with a halogen substitution on the 8 benzyl ring, including compounds such as fluorinated amphetamine and 9 10 fluorinated methamphetamine; (6) 3,4-methylenedioxy amphetamine; 11 (7) 3,4-methylenedioxymethamphetamine (MDMA); 12 (8) 3,4-methylenedioxy-N-ethylamphetamine (also known as N-et-13 hyl-alpha-methyl-3,4 (methylenedioxy) phenethylamine, and N-et-14 15 hyl MDA, MDE, MDEA); 16 N-hydroxy-3,4-methylenedioxyamphetamine (also known as N-hydroxy-alpha-methyl-3,4 (methylenedioxy) phenethylamine, and N-hyd-17 roxy MDA); 18 (10) 3,4,5-trimethoxy amphetamine; 19 20 (11) 5-methoxy-N,N-dimethyltryptamine (also known as 5-methoxy-3-2[2-(dimethylamino) ethyllindole and 5-MeO-DMT); 21 Alpha-ethyltryptamine (some other names: etryptamine, 3-(2-am-(12)22 inobutyl) indole); 23 24 (13) Alpha-methyltryptamine; (14) Bufotenine; 25 26 (15) Diethyltryptamine (DET); (16) Dimethyltryptamine (DMT); 27 (17) Ibogaine; 28 (18) Lysergic acid diethylamide; 29 (19) Marihuana; 30 (20) Mescaline; 31 32 (21) Parahexyl; (22) Peyote; 33 34 (23) N-ethyl-3-piperidyl benzilate; (24) N-methyl-3-piperidyl benzilate; 35 (25) Psilocybin; 36 (26) Psilocyn; 37 (27) Tetrahydrocannabinols or synthetic equivalents of the substances 38 contained in the plant, or in the resinous extractives of Cannabis, sp. 39 and/or synthetic substances, derivatives, and their isomers with simi-40

lar chemical structure such as the following:

41

42

43

44

45

46

47 48

49

- i. Tetrahydrocannabinols, except for the permitted amount of tetrahydrocannabinol found in industrial hemp:
 - a. Δ ¹ cis or trans tetrahydrocannabinol, and their optical isomers, excluding dronabinol in sesame oil and encapsulated in either a soft gelatin capsule or in an oral solution in a drug product approved by the U.S. Food and Drug Administration.
 - b. Δ 6 cis or trans tetrahydrocannabinol, and their optical isomers.

c. Δ ^{3,4} cis or trans tetrahydrocannabinol, and its optical isomers. (Since nomenclature of these substances is not internationally standardized, compounds of these structures, regardless of numerical designation of atomic positions are covered.)

d. [(6aR, 10aR) - 9 - (hydroxymethyl) - 6, 6 - dimethyl - 3 - (2methyloctan - 2 - yl) - 6a, 7, 10, 10a - tetrahydrobenzo[c]chromen - 1 - ol)], also known as <math>6aR - trans - 3 - (1, 1 - dimethylheptyl) - 6a, 7, 10, 10a - tetrahydro - 1 - hydroxy - 6, 6 - dimethyl - 6H - dibenzo[b, d]pyran - 9 - methanol (HU-210) and its geometric isomers (HU211 or dexanabinol).

ii. The following synthetic drugs:

- a. Any compound structurally derived from (1H-indole-3-yl) (cycloalkyl, cycloalkenyl, aryl) methanone, or (1H-indole-3-yl) (cycloalkyl, cycloalkenyl, aryl) methane, or (1H-indole-3-yl) (cycloalkyl, cycloalkenyl, aryl), methyl or dimethyl butanoate, amino-methyl (or dimethyl)-1-oxobutan-2-yl) carboxamide by substitution at the nitrogen atoms of the indole ring or carboxamide to any extent, whether or not further substituted in or on the indole ring to any extent, whether or not substituted to any extent in or on the cycloalkyl, cycloalkenyl, aryl ring(s) (substitution in the ring may include, but is not limited to, heteroatoms such as nitrogen, sulfur and oxygen).
- b. N-(1-amino-3-methyl-1-oxobutan-2-yl)-1-(5-fluo-ropentyl)-1 H-indazole-3-carboxamide (5F-AB-PINACA).
- c. 1-(1.3-benzodioxol-5-yl)-2-(ethylamino)-pentan-1-one (N-ethylpentylone, ephylone).
- d. 1-(4-cyanobutyl)-N-(2-phenylpropan-2-yl)-1 H-inda-zole-3-carboxamide (4-cn-cumyl-BUTINACA).
- e. Ethyl $2-(1-(5-\text{fluoropentyl})-1\text{H-indazole-3carbox-amido})-3,3-dimethylbutanoate * <math>(5\frac{\text{f-edmbpinaca}}{\text{F-EDMB-PINACA}})$.
- f. (1-(4-fluorobenzyl)-1H-indol-3-yl) (2,2,3,3tetramethylcyclopropyl) methanone (fub-144).
- g. 1-(5-fluoropentyl)-N-(2-phenylpropan-2-yl)-1H-inda-zole-3-carboxamide (5f-cumyl-pinaca; sgt25).
- h. (1-(5-fluoropentyl)-N-(2-phenylpropan-2-yl)-1

H-pyrrolo[2.3-B]pyridine-3-carboxamide(5fcumyl-P7AICA).

- i. <u>FUB-AMB</u>, <u>MMB- FUBINACA</u> (<u>Methyl 2-(1-(4-fluoroben-zyl)-1H-indazole-3-carboxamido</u>)-3-methylbutanoate.
- <u>j.</u> Methyl 2-(1-(cyclohexylmethyl)-1H-indole-3-carboxam-ido)-3-methylbutanoate (MMB-CHMICA, AMB-CHMICA).
- $\frac{1}{2}$ Methyl 2-(1-(cyclohexylmethyl)-1H-indole-3-carboxamido)-3,3-dimethylbutanoate (MDMB-CHMICA).
- $\frac{\text{kl}}{\text{l}}$. Methyl 2-(1-(4-fluorobenzyl)-1H-indazole-3-carboxam-ido-3,3-dimethylbutanoate (MDMB-FUBINACA).
- $\pm \underline{m}$. Methyl 2-(1-(5-fluoropentyl)-1H-indole-3-carboxam-ido)-3,3-dimethylbutanoate (5F-MDMBPICA).



mn. Methyl 2-(1-(5-fluoropentyl)-1H-indazole-3-carboxam-1 2 ido)-3,3-dimethylbutanoate (5F-ADB, 5FMDMB-PINACA). no. Methyl 2-(1-(5-fluoropentyl)-1H-indazole-3-carboxam-3 ido)-3-methylbutanoate (5FAMB). 4 Θ p. N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-<math>(4-fluo-1)5 robenzyl)-1H-indazole-3-carboxamide (ADB-FUBINACA). 6 pq. N-(adamantan-1-yl)-1-(4-fluorobenzyl)-1H-inda-7 zole-3-carboxamide (FUB-AKB48; FUB-APINACA). 8 gr. N-(adamantan-1-yl)-1-(5-fluoropentyl)-1H-inda-9 10 zole-3-carboxamide (5F-APINACA, 5F-AKB48). s. N-(1-amino-3-methyl-1-oxobutan-2-yl)1-(Cyclohexyl-11 methyl)-1H-indazole-3-carboxamide (AB-CHMINACA). 12 #t. Naphthalen-1-yl 1-(5-fluoropentyl)-1H-indole-3-car-13 boxylate (NM2201; CBL2201). 14 su. Any compound structurally derived from 3-(1-naph-15 16 thoyl)pyrrole by substitution at the nitrogen atom of the pyrrole ring to any extent, whether or not further sub-17 stituted in the pyrrole ring to any extent, whether or not 18 19 substituted in the naphthyl ring to any extent. 20 tv. Any compound structurally derived from 1-(1-naphthylmethyl) indene by substitution at the 3-position of the in-21 dene ring to any extent, whether or not further substituted 22 in the indene ring to any extent, whether or not substituted 23 24 in the naphthyl ring to any extent. ww. Any compound structurally derived from 3-pheny-25 lacetylindole by substitution at the nitrogen atom of the 26 indole ring to any extent, whether or not further substi-27 tuted in the indole ring to any extent, whether or not sub-28 stituted in the phenyl ring to any extent. 29 ₩x. Any compound structurally derived from 2-(3-hydroxy-30 cyclohexyl) phenol by substitution at the 5-position of the 31 phenolic ring to any extent, whether or not substituted in 32 the cyclohexyl ring to any extent. 33 wy. Any compound structurally derived from 3-(benzoyl) in-34 dole structure with substitution at the nitrogen atom of 35 the indole ring to any extent, whether or not further sub-36 stituted in the indole ring to any extent and whether or not 37 substituted in the phenyl ring to any extent. 38 *z. [2,3-dihydro-5-methyl-3-(4-morpholinyl-39 methyl) pyrrolo[1,2,3-de]-1,4-benzoxazin-6-yl]-1-40 napthalenylmethanone (WIN-55, 212-2). 41 yaa. 3-dimethylheptyl-11-hydroxyhexahydrocannabi-42 nol (HU-243). 43 \pm bb. [(6S, 6aR, 9R, 10aR)-9-hydroxy-6-methyl-3-[(2R)-44 5-phenylpentan-2-yl]oxy-5,6,6a,7,8,9,10,10a-octahy-45 drophenanthridin-1-yl]acetate (CP 50,5561). 46 (28) Ethylamine analog of phencyclidine: N-ethyl-1-phenylcy-47 clohexylamine (1-phenylcyclohexyl) ethylamine; N-(1-phenylcy-48 clohexyl) ethylamine, cyclohexamine, PCE;

(29) Pyrrolidine analog of phencyclidine: 1-(phenylcyclohexyl) - pyrrolidine, PCPy, PHP;

- (30) Thiophene analog of phencyclidine 1-[1-(2-thienyl)-cyclohexyl]-piperidine, 2-thienylanalog of phencyclidine, TPCP, TCP;
- (31) Thiofuranyl fentanyl;

- (32) 1-[1-(2-thienyl) cyclohexyl] pyrrolidine another name: TCPy;
- $\overline{(323)}$ Spores or mycelium capable of producing mushrooms that contain psilocybin or psilocin.
- (e) Unless specifically excepted or unless listed in another schedule, any material, compound, mixture or preparation which contains any quantity of the following substances having a depressant effect on the central nervous system, including its salts, isomers, and salts of isomers whenever the existence of such salts, isomers, and salts of isomers is possible within the specific chemical designation:
 - (1) Gamma hydroxybutyric acid (some other names include GHB; gam-ma-hydroxybutyrate, 4-hydroxybutyrate; 4-hyroxybutanoic acid; sodium oxybate; sodium oxybutyrate);
 - (2) Flunitrazepam (also known as "R2," "Rohypnol");
 - (3) Mecloqualone;
 - (4) Methaqualone.
- (f) Stimulants. Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation which contains any quantity of the following substances having a stimulant effect on the central nervous system, including its salts, isomers, and salts of isomers:
 - (1) Aminorex (some other names: aminoxaphen, 2-amino-5-phenyl-2-ox-azoline, or 4,5-dihydro-5-phenyl-2-oxazolamine);
 - (2) Cathinone (some other names: 2-amino-1-phenol-1-propanone, alpha-aminopropiophenone, 2-aminopropiophenone and norephedrone);
 - (3) Substituted cathinones. Any compound, except bupropion or compounds listed under a different schedule, structurally derived from 2-aminopropan-1-one by substitution at the 1-position with either phenyl, naphthyl or thiophene ring systems, whether or not the compound is further modified in any of the following ways:
 - i. By substitution in the ring system to any extent with alkyl, alkylenedioxy, alkoxy, haloalkyl, hydroxyl or halide substituents, whether or not further substituted in the ring system by one (1) or more other univalent substituents;
 - ii. By substitution at the 3-position with an acyclic alkyl substituent;
 - iii. By substitution at the 2-amino nitrogen atom with alkyl, dialkyl, benzyl or methoxybenzyl groups, or by inclusion of the 2-amino nitrogen atom in a cyclic structure.
 - (4) Alpha-pyrrolidinoheptaphenone* (PV8);
 - (5) Alpha-pyrrolidinohexanophenone* (a-php);
 - (6) 4-chloro-alpha-pyrrolidinovalerophenone* (4chloro-a-pvp);
 - (7) Fenethylline;
 - (8) Methcathinone (some other names: 2-(methyl-amino)-propiophenone, alpha-(methylamino)-propiophenone, N-methylcathinone, AL-464, AL-422, AL-463 and UR1423);



```
(9) (+/-) cis-4-methylaminorex [(+/-) cis-4,5-dihydro-4-methyl-5-
1
2
         phenyl-2-oxazolamine];
         (10) 4-methyl-alpha-ethylaminopentiophenone* (4meap-MEAP);
3
         (11) 4'-methyl-alpha-pyrrolidinohexiophenone* (mphp);
4
         (12) N-benzylpiperazine (also known as: BZP, 1-benzylpiperazine);
5
         (13) N-ethylamphetamine;
6
7
         (14) N-ethylhexedrone*;
         (15) N, N-dimethylamphetamine (also known as: N, N-alpha-trimethyl-
8
         benzeneethanamine).
9
         SECTION 2. That Section 37-2707, Idaho Code, be, and the same is hereby
10
11
    amended to read as follows:
         37-2707.
12
                    SCHEDULE II. (a) Schedule II shall consist of the drugs and
    other substances, by whatever official name, common or usual name, chemical
13
14
    name, or brand name designated, listed in this section.
               Substances, vegetable origin or chemical synthesis.
15
16
    specifically excepted or unless listed in another schedule, any of the fol-
    lowing substances whether produced directly or indirectly by extraction
17
     from substances of vegetable origin, or independently by means of chemical
18
     synthesis, or by a combination of extraction and chemical synthesis:
19
             Opium and opiate, and any salt, compound, derivative, or prepa-
20
         ration of opium or opiate, excluding apomorphine, dextrorphan, nal-
21
         buphine, nalmefene, naloxone, naltrexone and their respective salts,
22
         but including the following:
23
               1. Raw opium;
24
               2. Opium extracts;
25
26
               3. Opium fluid extracts;
               4. Powdered opium;
27
               5. Granulated opium;
28
               6. Tincture of opium;
29
               7. Codeine;
30
               8. Dihydroetorphine;
31
               9. Diprenorphine;
32
               10. Ethylmorphine;
33
               11. Etorphine hydrochloride;
34
               12. Hydrocodone;
35
36
               13. Hydromorphone;
               14. Metopon;
37
               15. Morphine;
38
               16. Oripavine;
39
               17. Oxycodone;
40
               18. Oxymorphone;
41
42
               19. Tapentadol;
               20. Thebaine.
43
         (2) Any salt, compound, derivative, or preparation thereof which is
44
         chemically equivalent or identical with any of the substances referred
45
         to in paragraph (1) of this subsection, except that these substances
46
47
         shall not include the isoquinoline alkaloids of opium.
         (3) Opium poppy and poppy straw.
48
```



(4) Coca leaves and any salt, compound, derivative, or preparation 1 2 of coca leaves, and any salt, compound, derivative, or preparation thereof which is chemically equivalent or identical with any of these 3 substances, but shall not include the following: 4 1. Decocainized coca leaves or extractions of coca leaves, which 5 extractions do not contain cocaine; or ecgonine; or 6 7 2. [123I]ioflupane. (5) Benzoylecgonine. 8 (6) Methylbenzoylecgonine (Cocaine - its salts, optical isomers, and 9 10 salts of optical isomers). (7) Concentrate of poppy straw (the crude extract of poppy straw in liq-11 uid, solid or powder form that contains the phenanthrine alkaloids of 12 the opium poppy). 13 (c) Any of the following opiates, including their isomers, esters, 14 15 ethers, salts, and salts of isomers, whenever the existence of these iso-16 mers, esters, ethers and salts is possible within the specific chemical designation, unless specifically excepted or unless listed in another 17 schedule: 18 (1) Alfentanil; 19 20 (2) Alphaprodine; 21 (3) Anileridine; (4) Bezitramide; 22 (5) Bulk Dextropropoxyphene (nondosage forms); 23 24 (6) Carfentanil; (7) Dihydrocodeine; 25 (8) Diphenoxylate; 26 (9) Fentanyl; 27 28 (10) Isomethadone; (11) Levo-alphacetylmethadol (also known as levo-alpha-acetylmet-29 hadol, levomethadyl acetate, LAAM); 30 (12) Levomethorphan; 31 (13) Levorphanol; 32 (14) Metazocine; 33 34 (15) Methadone; (16) Methadone -- Intermediate, 4-cyano-2-dimethylamino-4, 4-diphenyl 35 36 butane; (17) Moramide -- Intermediate, 2-methyl-3-morpholino-1, 1-diphenyl 37 38 propane-carboxylic acid; (18) Norfentanyl (N-phenyl-N-(piperidin-4-yl) propionamide); 39 (19) Oliceridine; 40 (20) Pethidine (meperidine); 41 (201) Pethidine -- Intermediate -- A, 4-cyano-1-methyl-4-phenyl-42 43 piperidine; (212) Pethidine -- Intermediate -- B, ethyl-4-phenylpiperidine-4-44 45 carboxylate; (223) Pethidine -- Intermediate -- C, 1-methyl-4-phenylpiperid-46 ine-4-carboxylic acid; 47 (234) Phenazocine; 48 (245) Piminodine; 49

(256) Racemethorphan;

(267) Racemorphan;

(278) Remifentanil;

(289) Sufentanil.

- (d) Stimulants. Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation which contains any quantity of the following substances having a stimulant effect on the central nervous system:
 - (1) Amphetamine, its salts, optical isomers, and salts of its optical isomers;
 - (2) Lisdexamfetamine;
 - (3) Methamphetamine, its salts, isomers, and salts of its isomers;
 - (4) Phenmetrazine and its salts;
 - (5) Methylphenidate.
- (e) Depressants. Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation which contains any quantity of the following substances having a depressant effect on the central nervous system, including its salts, isomers, and salts of isomers, whenever the existence of such salts, isomers, and salts of isomers is possible within the specific chemical designation:
 - (1) Amobarbital;
 - (2) Glutethimide;
 - (3) Pentobarbital;
 - (4) Phencyclidine;
 - (5) Secobarbital.
 - (f) Hallucinogenic substances.
 - (1) Nabilone (another name for nabilone:
 - (+/-)-trans-3-(1,1-dimethylheptyl)-6,6a,7,8,10,10a-hexahydro-1-hydroxy-6,6-dimethyl-9H-dibenzo[b,d]pyran-9-one) (21 CFR 1308.12 (f)).
- (g) Immediate precursors. Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation which contains any quantity of the following substances:
 - (1) Immediate precursor to amphetamine and methamphetamine:
 - (a) Anthranilic acid;
 - (b) Ephedrine;
 - (c) Lead acetate;
 - (d) Methylamine;
 - (e) Methyl formamide;
 - (f) N-methylephedrine;
 - (g) Phenylacetic acid;
 - (h) Phenylacetone;
 - (i) Phenylpropanolamine;
 - (j) Pseudoephedrine.

Except that any combination or compound containing ephedrine, or any of its salts and isomers, or phenylpropanolamine or its salts and isomers, or pseudoephedrine, or any of its salts and isomers which is prepared for dispensing or over-the-counter distribution is not a controlled substance for the purpose of this section, unless such substance is possessed, delivered, or possessed with intent to deliver to another with the intent to manufacture methamphetamine, amphetamine or any other controlled substance in violation of section 37-2732, Idaho Code. For

purposes of this provision, the requirements of the uniform controlled substances act shall not apply to a manufacturer, wholesaler or retailer of over-the-counter products containing the listed substances unless such person possesses, delivers, or possesses with intent to deliver to another the over-the-counter product with intent to manufacture a controlled substance.

- (2) Immediate precursors to phencyclidine (PCP):
 - (a) 1-phenylcyclohexylamine;
 - (b) 1-piperidinocyclohexanecarbonitrile (PCC).
- (3) Immediate precursor to fentanyl: 4-anilino-N-phenethyl-4-piperidine (ANPP).
- SECTION 3. That Section 37-2711, Idaho Code, be, and the same is hereby amended to read as follows:
- 37-2711. SCHEDULE IV. (a) Schedule IV shall consist of the drugs and other substances, by whatever official name, common or usual name, chemical name, or brand name designated, listed in this section.
- (b) Narcotic drugs. Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation containing any of the following narcotic drugs, or their salts calculated as the free anhydrous base or alkaloid, in limited quantities as set forth below:
 - (1) No more than 1 milligram of difenoxin and not less than 25 micrograms of atropine sulfate per dosage unit;
 - (2) Dextropropoxyphene (alpha-(+)-4-dimethylamino-1, 2-diphenyl-3-methyl-2-propionoxybutane).;
 - (3) 2- [(dimethylamino)methyl]-1-(3-methoxyphenyl)cyclohexanol (including tramadol), including its salts, optical and geometric isomers, and salts of isomers.
- (c) Depressants. Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation which contains any quantity of the following substances, including its salts, isomers, and salts of isomers whenever the existence of such salts, isomers, and salts of isomers is possible within the specific chemical designation:
 - (1) Alfaxalone 5[alpha]-pregnan-3[alpha]-ol-11,20-dione;
 - (2) Alprazolam;
 - (3) Barbital;

- (4) Bromazepam;
- (5) Camazepam;
- (6) Carisoprodol;
- (7) Chloral betaine;
- (8) Chloral hydrate;
- (9) Chlordiazepoxide;
- (10) Clobazam;
- (11) Clonazepam;
- (12) Clorazepate;
- (13) Clotiazepam;
- (14) Cloxazolam;
 - (15) Delorazepam;
- (16) Diazepam;
 - (17) Dichloralphenazone;

49

50



```
(18) Estazolam;
1
2
          (19) Ethchlorvynol;
          (20) Ethinamate;
3
          (21) Ethyl loflazepate;
4
          (22) Fludiazepam;
5
6
          (23) Flurazepam;
          (24) Fospropofol;
7
          (25) Halazepam;
8
          (26) Haloxazolam;
9
10
          (27) Ketazolam;
          (28) Lemborexant;
11
          (29) Loprazolam;
12
          (2930) Lorazepam;
13
          (301) Lormetazepam;
14
          (3+2) Mebutamate;
15
16
          (323) Medazepam;
          (334) Meprobamate;
17
          (345) Methohexital;
18
          (356) Methylphenobarbital (mephobarbital);
19
20
          (3<del>6</del>7) Midazolam;
21
          (378) Nimetazepam;
          (389) Nitrazepam;
22
          (3940) Nordiazepam;
23
24
          (4\theta 1) Oxazepam;
          (4\pm2) Oxazolam;
25
          (423) Paraldehyde;
26
          (434) Petrichloral;
27
          (445) Phenobarbital;
28
          (456) Pinazepam;
29
          (467) Prazepam;
30
          (478) Quazepam;
31
          (49) Remimazolam;
32
          (50) Serdexmethylpheniate;
33
34
          (4851) Suvorexant;
35
          (4952) Temazepam;
          (503) Tetrazepam;
36
          (5\pm4) Triazolam;
37
38
          (525) Zaleplon;
          (536) Zolpidem;
39
          (547) Zopiclone.
40
          (d) Fenfluramine -- Any material, compound, mixture, or preparation
41
     which contains any quantity of the following substances, including its
42
     salts, isomers (whether optical, position, or geometric), and salts of such
43
     isomers, whenever the existence of such salts, isomers, and salts of isomers
44
     is possible:
45
          (1) Dexfenfluramine;
46
          (2) Fenfluramine.
47
```

(e) Stimulants. Unless specifically excepted or unless listed in an-

other schedule, any material, compound, mixture, or preparation which con-

tains any quantity of the following substances having a stimulant effect on

the central nervous system, including its salts, isomers (whether optical, position, or geometric), and salts of such isomers whenever the existence of such salts, isomers, and salts of isomers is possible within the specific chemical designation:

- (1) Cathine ((+)-norpseudoephedrine);
- (2) Diethylpropion;
- (3) Fencamfamin;
- (4) Fenproporex;
- (5) Lorcaserin;
- (6) Mazindol;

- (7) Mefenorex;
- (8) Modafinil;
- (9) Pemoline (including organometallic complexes and chelates thereof);
- (10) Phentermine;
- (11) Pipradrol;
- (12) Sibutramine;
- (13) SPA ((-)-1-dimethylamino-1,2-diphenylethane);
- (14) Solriamfetol(2-amino-3-phenylpropyl carbamata; benzenepropanol, beta-amino-, carbamate(ester)).
- (f) Other substances. Unless specifically excepted, or unless listed in another schedule, any material, compound, mixture or preparation which contains any quantity of the following substances, including its salts:
 - (1) Pentazocine Brexanolone (3A-hydroxy-5A-pregnan-20-one), allo-pregnanolone;
 - (2) Butorphanol (including its optical isomers);
 - (3) Eluxadoline (5-[[(2S)-2-amino-3-[4-aminocarbonyl)-2,6-dimethylphenyl]-1-oxopropyl][(1S)-1-(4-phenyl-1H-imidazol-2-yl)ethyl]amino]methyl]-2-methoxybenzoic acid) (including its optical
 - isomers) and its salts, isomers, and salts of isomers;
 - (4) Pentazocine.
- (g) The board may except, by rule, any compound, mixture, or preparation containing any depressant substance listed in subsection (c) of this section from the application of all or any part of this act if the compound, mixture, or preparation contains one (1) or more active medicinal ingredients not having a depressant effect on the central nervous system, and if the admixtures are included therein in combinations, quantity, proportion, or concentration that vitiate the potential for abuse of the substances which have a depressant effect on the central nervous system.
- SECTION 4. That Section 37-2713, Idaho Code, be, and the same is hereby amended to read as follows:
- 37-2713. SCHEDULE V. (a) Schedule V shall consist of the drugs and other substances, by whatever official name, common or usual name, chemical name, or brand name designated, listed in this section.
- (b) Narcotic drugs. Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation containing any of the following narcotic drugs and their salts, as set forth below.
- (c) Narcotic drugs containing nonnarcotic active medicinal ingredients. Any compound, mixture, or preparation containing any of the follow-



ing limited quantities of narcotic drugs or salts thereof, which shall include one (1) or more nonnarcotic active medicinal ingredients in sufficient proportion to confer upon the compound, mixture, or preparation, valuable medicinal qualities other than those possessed by the narcotic drug alone:

- (1) Not more than 200 milligrams of codeine per 100 milliliters or per 100 grams;
- (2) Not more than 100 milligrams of dihydrocodeine per 100 milliliters or per 100 grams;
- (3) Not more than 100 milligrams of ethylmorphine per 100 milliliters or per 100 grams;
- (4) Not more than 2.5 milligrams of diphenoxylate and not less than 25 micrograms of atropine sulfate per dosage unit;
- (5) Not more than 100 milligrams of opium per 100 milliliters or per 100 grams;
- (6) Not more than 0.5 milligrams different and not less than 25 micrograms of atropine sulfate per dosage unit.
- (d) Other substances. Unless specifically excepted or unless listed in another schedule, any material, compound, mixture or preparation which contains any quantity of the following substances, including its salts:
 - (1) Brivaracetam ((2S)-2-[(4R)-2-oxo-4-propylpyrrolidin-1-yl]butanamide) (also referred to as BRV; UCB-34714; Briviact) (including its salts);
 - (2) <u>Cenobamate[(1R)-1-(2-chlorophenyl)-2-(tetrazol-2-yl)ethyl]carbamate;</u>
 - (3) Ezogabine [N-[2-amino-4-(4-fluorobenzylamino)-phenyl]-carbamic acid ethyl ester]-2779;
 - (34) Lacosamide;
 - (45) Lasmiditan [2,4,6-trifluoro-N-(6-(1-methylpiperidine-4-carbonyl)pyridine-2-yl)benzamide];
 - (56) Pregabalin;
- (67) Pyrovalerone.